Joinerysoft Ltd 21a, Stuart House, Cromwell Business Park, Chipping Norton, Oxfordshire, OX7 5SR, UK [t]+44(0)1608 643302 [f]+44(0)1608 643309

Joinerysoft

Mr Alan Turner
21a Stuart House
Cromwell Buisness Park
Chipping Norton
Oxfordshire
OX7 5SR
United Kingdom




QUOTATION

Reference	Mr Smith
Quotation Number	Q3019
Date of Quotation	1 June 2018
Validity	30 days





Barn Cottage

Dear Sir

Thank you for your valued enquiry, below is a detailed specification for your project. Should you agree with the details please sign and return the order confirmation sheet enclosed with this Quotation. Should you require any changes please contact me when convenient to yourself.

Item (sizes)	Description	Qty	Unit Cost	Total Cost
	**Window - (W1)** Kitchen HP Flush Casement Window Friction Hinge - Espag - Brass Handles Timber Type: Best Quality Softwood with Sapele cill Planitherm + 4/16/4 Clear DG Units (Argon) Warm edge spacer One coat of primer only (all other decoration by others) U-value=1.48 50.62 kgs	1	£973.84	£973.84
	**Window - (W2)** Study HP Flush Casement Window Friction Hinge - Espag - Brass Handles Timber Type: Best Quality Softwood with Sapele cill Planitherm + 4/16/4 Clear DG Units (Argon) Warm edge spacer One coat of primer only (all other decoration by others) U-value=1.51 41.34 kgs	1	£653.53	£653.53
	**Sliding Sash - (SS1)** Lounge Traditional Box Frame - Fully Weatherstripped Cords - Leads - Brass Fittings Timber Type: Best Quality Softwood with Sapele cill Planitherm + 4/16/4 Clear Toughened DG Units with Duplex Bar (Argon) Warm edge spacer One coat of primer only (all other decoration by others) U-value=1.34 244.00 kgs	2	£1,306.83	£2,613.66
			Carried Forward	£4,241.03

Registered in England Number 5823833
Registered office: C/O King Watkins, The Island House, The Island, Midsomer Norton, Radstock, BA3 2DZ
Directors: D.P.Turner A.J.Turner T.W.Turner

Item (sizes)	Description	Qty	Unit Cost	Total Cost
	Brought Forward			£4,241.03
920mm  1650mm	**Sliding Sash - (SS2)** Hall Traditional Box Frame - Fully Weatherstripped Cords - Leads - Brass Fittings Timber Type: Best Quality Softwood with Sapele cill Planitherm + 4/16/4 Clear DG Units (Argon) Warm edge spacer Planitherm + 4/16/4 Clear Toughened DG Units (Argon) Warm edge spacer One coat of primer only (all other decoration by others) U-value=1.38 66.20 kgs	1	£1,454.55	£1,454.55
892mm  2012mm	**Door - (D1)** Utility Room 44mm Flush Door / Hung in Door Lining Door Factory Hung - Fitted With Stainless Butt Hinges Timber Type: European Oak Door Blank: Sentry Prolite Door Blank 44mm Outside Veneer: Ash Crown Veneer Glass: 4mm Clear Toughened 2 Coats Osmo Finishing Oil 77.16 kgs	1	£684.01	£684.01
1600mm  1981mm	**Door - (DD1)** Dinning Room Standard Door 56mm thick Door Factory Hung - Fitted With 5 Lever Lock Timber Type: European Oak Planitherm + 4/16/4 Clear Toughened DG Units with Duplex Bar (Argon) Warm edge spacer 2 Coats Osmo Finishing Oil U-value=1.83 133.92 kgs	1	£1,908.03	£1,908.03
Screen - (SC1) Entrance Hall Flush Casement Frame - High Performance Timber Type: European Oak Planitherm + 4/16/4 Clear Toughened DG Units (Argon) Warm edge spacer 2 Coats Osmo Finishing Oil U-value=1.79 240.28 kgs		1	£4,539.97	£4,539.97
2794mm  2500mm	**Door** 54mm External Open in Door - Ovolo Mould - Rebated for 24mm D/G Units Door Factory Hung - Fitted With 5 Lever Lock Timber Type: European Oak Planitherm + 4/16/4 Clear Toughened DG Units with Duplex Bar (Argon) Warm edge spacer 2 Coats Osmo Finishing Oil **Casement** Flush Casement 54mm Thick Friction Hinge - Espag - Brass Handles Timber Type: European Oak Planitherm + 4/16/4 Clear Toughened DG Units with Duplex Bar (Argon) Warm edge spacer 2 Coats Osmo Finishing Oil			
	Carried Forward			£12,827.59

Item (sizes)	Description	Qty	Unit Cost	Total Cost
	Brought Forward			£12,827.59
900mm 1650mm	**Gothic Window - WG1** Fixed Casement - Ovolo Mould Timber Type: European Oak 2 Coats Osmo Finishing Oil	1	£1,169.14	£1,169.14
1500mm 480mm	**Furniture** Depth = 600mm Coffee Table Timber Type: European Oak	1	£657.00	£657.00
	Delivery to Chipping Norton			£160.00
				£14,813.73
		VAT @ 20%		£2,962.75
		Total		**£17,776.48**
Deposit enclosed to confirm order...		**Deposit @ 40%**		**£7,110.59**
		Balance		**£10,665.89**

Additional Items not including VAT

Installation 5 days x 2 men @ £300.00 a day		£1,500.00

Total Weight 853.53 kgs

NOTES:

Diagrams of windows, doors and frames indicate style viewed from the outside and do not reflect size. All weights shown on this document are approximate and are intended to assist in manual handling considerations.

I accept the above details are correct and enclose my deposit.....

Please sign here.

There are over 20 customisable estimate/quotation templates to allow user flexiblity.

"We have won extra work due to the speed, accuracy and professionalism of JMS"

Example of Concise Wood Summary Printed from JMS

Your Company Name.....

Mr Biggs - CWS

Client Calcot Construction - Mr Alex Weatherhead
Job Number 998765

EUROPEAN OAK K.D. - Square Edge - 1"

Width	Thickness	Lengths	Totals Quantity	Totals Length M	Totals Volume M³
152	**25**	2×**1885** (JS3), 1×**1213** (JS3)	3	4.983	0.019
127	**25**	2×**2025** (JS3), 1×**999** (JS3), 2×**551** (JS4)	5	6.151	0.020
114	**25**	2×**1955** (JS3), 1×**1025** (JS3)	3	4.935	0.014
101	**25**	12×**551** (JS4)	12	6.612	0.017
32	**25**	2×**1853** (JS3), 2×**1025** (JS3), 4×**493** (JS2), 8×**489** (JS2), 4×**383** (JS2), 4×**379** (JS2), 4×**334** (JS2), 8×**331** (JS2), 4×**329** (JS2)	40	19.988	0.016
25	**25**	8×**1042** (JS2), 12×**736** (JS3), 8×**653** (JS3), 8×**638** (JS2), 24×**527** (JS1), 8×**493** (JS2), 40×**489** (JS1×24, JS2×16), 8×**334** (JS2), 28×**161** (JS3)	144	70.828	0.044
32	**19**	2×**1019** (JS3), 4×**493** (JS2), 8×**489** (JS2), 4×**383** (JS2), 4×**379** (JS2), 4×**334** (JS2), 8×**331** (JS2), 4×**329** (JS2)	38	16.270	0.010
25	**19**	4×**1574** (JS5), 4×**921** (JS5), 12×**658** (JS4), 4×**581** (JS4), 4×**555** (JS4), 4×**387** (JS5), 4×**365** (JS5), 12×**303** (JS4), 48×**155** (JS4)	96	36.504	0.017
	Totals		**341**	**166.271**	**0.157**

EUROPEAN OAK K.D. - Square Edge - 1.5"

Width	Thickness	Lengths	Totals Quantity	Totals Length M	Totals Volume M³
330	**38**	4×**491** (JS5)	4	1.964	0.025
	Totals		**4**	**1.964**	**0.025**

EUROPEAN OAK K.D. - Square Edge - 2"

Width	Thickness	Lengths	Totals Quantity	Totals Length M	Totals Volume M³
203	**50**	4×**791** (JS4), 4×**567** (JS5)	8	5.432	0.055
127	**50**	4×**2011** (JS4), 4×**1946** (JS5), 2×**791** (JS4), 2×**597** (JS5)	12	18.604	0.118
89	**50**	2×**565** (JS5)	2	1.130	0.005
63	**50**	2×**1019** (JS3), 4×**957** (JS3), 2×**729** (JS3), 6×**569** (JS1), 4×**237** (JS3)	18	11.686	0.037
50	**50**	4×**748** (JS4), 4×**671** (JS4), 8×**245** (JS4)	16	7.636	0.019
	Totals		**56**	**44.488**	**0.234**

Example of Concise Wood Summary Printed from JMS

Your Company Name.....

Mr Biggs - CWS

Client Calcot Construction - Mr Alex Weatherhead
Job Number 998765

EUROPEAN OAK K.D. - Square Edge - 2.5"

Width	Thickness	Lengths	Totals Quantity	Totals Length M	Totals Volume M³
203	**63**	2×**465** (JS5)	2	0.930	0.012
127	**63**	2×**465** (JS5)	2	0.930	0.007
114	**63**	2×**2006** (JS4), 1×**1725** (JS4)	3	5.737	0.041
101	**63**	7×**1325** (JS1×3, JS2×4), 21×**1225** (JS1×9, JS2×12), 1×**1019** (JS3), 4×**653** (JS2)	33	38.631	0.246
76	**63**	4×**1904** (JS5), 4×**573** (JS2), 10×**569** (JS1×6, JS2×4)	18	15.598	0.075
63	**63**	20×**1236** (JS1×12, JS2×8), 2×**1055** (JS3), 1×**1019** (JS3), 2×**1016** (JS3), 8×**832** (JS2), 4×**573** (JS2), 18×**569** (JS1×6, JS2×12), 8×**514** (JS2)	63	53.183	0.211
		Totals	**121**	**115.009**	**0.592**

EUROPEAN OAK K.D. - Square Edge - 3"

Width	Thickness	Lengths	Totals Quantity	Totals Length M	Totals Volume M³
177	**76**	1×**2225** (JS5), 1×**1213** (JS3)	2	3.438	0.046
152	**76**	1×**1725** (JS4)	1	1.725	0.020
101	**76**	2×**2225** (JS5), 4×**1941** (JS5), 7×**1345** (JS1×3, JS2×4)	13	21.629	0.166
		Totals	**16**	**26.792**	**0.232**

Plywood case backing cover

Width	Thickness	Lengths	Totals Quantity	Totals Length M	Totals Volume M³
165	**6**	2×**2019** (JS3), 1×**1225** (JS3)	3	5.263	0.005
		Totals	**3**	**5.263**	**0.005**

Plywood wagtail

Width	Thickness	Lengths	Totals Quantity	Totals Length M	Totals Volume M³
100	**6**	2×**1855** (JS3)	2	3.710	0.002
		Totals	**2**	**3.710**	**0.002**

Example of Cover Sheet Printed from JMS

Your Company Name.....

Job & Site Details Cover Sheet

Client **Calcot Construction**

Job **The Beach Front**

JOB DETAILS

Quote/Est No:	Happy 112233456
Job Number:	**998765**
Ref:	Mr Biggs

Customer Details

Company Name:	Calcot Construction
Contact Name:	Mr Alex Weatherhead
Address:	66 High Street Kings Hill LeighOn Sea
Postcode:	MI23 45CKY
Phone No:	01623 123 456
Mobile:	08723 928 768

Site Details

Site Company Name:	Green King
Site Contact Name:	Mr Brett Thomas
Address:	23 High Street Bath
Postcode:	MO12 45USE
Phone No:	01234 567 789
Mobile:	07986 711 302

Job Notes:

Windows first ...
Doors and Screens.... second delivery.....

Site Notes:

Dont Deliver after 2 on a Friday, as they will not unload the truck.

Job Summary	Order Date	Required Date
Enquiry	24-Oct-2008	24-Oct-2008
Order 7 × Casement Windows, 1 × Sliding Sash, 1 × Door, 1 × Screen	24-Oct-2008	21-Nov-2008


Example of Cutting List Diagram Printed from JMS

Your Company Name.....

Cutting List Diagrams

Client **Calcot Construction**

Job **The Beach Front**




Window

Hall
Flush Ovolo section: 2mm sash gap, face sill weathering, D/G 24mm
Mortices in rebates, brass fittings, brass butts
European Oak K.D. - Square Edge
Pilkington 'K' glass 4/12/4mm unit

JS1

×3




Window

Kitchen
Flush Ovolo section: 2mm sash gap, face sill weathering, D/G 24mm
Mortices in rebates, brass fittings, brass butts
European Oak K.D. - Square Edge
Pilkington 'K' glass 4/12/4mm unit

JS2

×4




Sliding Sash

Lounge
Box frame 166 x100 - Head trench 20mm x 8mm (for Jamb/Pulley stile) - Cill trench 20mm x 22mm (for Jamb/Pulley stile)
Sash mortice in rebates - decorative horns - D/G 24mm - Plastic parting with fins
European Oak K.D. - Square Edge
Pilkington 'K' glass 4/12/4mm unit

JS3

×1




Door & Frame

Lounge Doors
Standard door 44mm thick
European Oak K.D. - Square Edge
Pilkington K glass Toughened, Argon filled 4/12/4 units

JS4

×1



Screen

Study
External Screen
European Oak K.D. - Square Edge

Screen (Door)

Standard door 44mm thick
European Oak K.D. - Square Edge
Single glass Toughened 4mm

Screen (Sash)

Screen Casement 56mm thick
Single glass Toughened 4mm

JS5

×1

Example of Cutting List Summary (Finish Sizes)

Your Company Name.....

Cutting List Summary (Finish Sizes)

Client **Calcot Construction**

Job **The Beach Front**

All Item Types

	Item/Usage	Qty.	Rough length	Section Width	Section Thick.	Final length	Rebates	Shoulder length	Tenon lengths	Angle
Cill (EUROPEAN OAK K.D. - Square Edge - 3")										
1	JS3	1	1213	166	70	1188				9°
2	JS5	1	2225	160	70	2200	Screen			9°
3	JS4	1	1725	145	70	1700	97×15			9°
4	JS1×3, JS2×4	7	1345	95	70	1320	60×16			9°
Head (EUROPEAN OAK K.D. - Square Edge - 3")										
5	JS5	1	2225	95	70	2200	Screen			
Jamb (EUROPEAN OAK K.D. - Square Edge - 3")										
6	JS5	2	1941	95	70	1916	Screen	1829.5	41 55	
Mullion (EUROPEAN OAK K.D. - Square Edge - 3")										
7	JS5	2	1941	95	70	1916	Screen	1829.5	41 55	
Casement bottom rail (large) (EUROPEAN OAK K.D. - Square Edge - 2.5")										
8	JS5	2	465	195	56	440	41×15	340	50 50	
Casement top rail (EUROPEAN OAK K.D. - Square Edge - 2.5")										
9	JS5	2	465	115	56	440	41×15	340	50 50	
Head (EUROPEAN OAK K.D. - Square Edge - 2.5")										
10	JS4	1	1725	96	56	1700	48×15			
Jamb (EUROPEAN OAK K.D. - Square Edge - 2.5")										
11	JS4	2	2006	96	56	1981	48×15	1892.6	41 55	
Head (EUROPEAN OAK K.D. - Square Edge - 2.5")										
12	JS1×3, JS2×4	7	1325	95	56	1300	60×16			
Jamb (EUROPEAN OAK K.D. - Square Edge - 2.5")										
13	JS1×6, JS2×8	14	1225	95	56	1200	60×16	1115.5	40 54	
Mullion (EUROPEAN OAK K.D. - Square Edge - 2.5")										
14	JS1×3, JS2×4	7	1225	95	56	1200	60×16	1115.5	40 54	
Sash bottom rail (EUROPEAN OAK K.D. - Square Edge - 2.5")										
15	JS3	1	1019	95	56	994	44×18	918	38 38	
Transom (EUROPEAN OAK K.D. - Square Edge - 2.5")										
16	JS2	4	653	95	56	628	60×16	548	40 40	9°
Sash bottom rail (EUROPEAN OAK K.D. - Square Edge - 2.5")										
17	JS2	4	573	70	56	548	43×16	468	40 40	
18	JS1×6, JS2×4	10	569	70	56	544	43×16	464	40 40	
Casement stile (EUROPEAN OAK K.D. - Square Edge - 2.5")										
19	JS5	4	1904	65	56	1879.5	41×15			

Example of Cutting List Summary (Finish Sizes)

Your Company Name.....

Cutting List Summary (Finish Sizes)

Client **Calcot Construction**

Job **The Beach Front**

All Item Types

	Item/Usage	Qty.	Rough length	Section Width	Section Thick.	Final length	Rebates	Shoulder length	Tenon lengths	Angle
Bottom sliding sash stile (EUROPEAN OAK K.D. - Square Edge - 2.5")										
20	JS3	2	1055	56	56	1030.4	44×18			
Sash bottom rail (above transom - fan light) (EUROPEAN OAK K.D. - Square Edge - 2.5")										
21	JS2	4	569	56	56	544	43×16	464	40 40	
Sash stile (EUROPEAN OAK K.D. - Square Edge - 2.5")										
22	JS1×12, JS2×8	20	1236	56	56	1211.5	43×16			
23	JS2	8	832	56	56	807.3	43×16			
Sash stile (above transom - fan light) (EUROPEAN OAK K.D. - Square Edge - 2.5")										
24	JS2	8	514	56	56	489.7	43×16			
Sash top rail (EUROPEAN OAK K.D. - Square Edge - 2.5")										
25	JS3	1	1019	56	56	994	44×18	918	38 38	
26	JS2	4	573	56	56	548	43×16	468	40 40	
27	JS1×6, JS2×8	14	569	56	56	544	43×16	464	40 40	
Top sliding sash stile (EUROPEAN OAK K.D. - Square Edge - 2.5")										
28	JS3	2	1016	56	56	991.4	44×18			
Meeting rail (bottom sash) (EUROPEAN OAK K.D. - Square Edge - 2")										
29	JS3	1	1019	45	56	994	44×18	918	38 38	
Meeting rail (top sash) (EUROPEAN OAK K.D. - Square Edge - 2")										
30	JS3	1	1019	45	56	994	44×18	918	38 38	
Sash horizontal glazing bar (EUROPEAN OAK K.D. - Square Edge - 2")										
31	JS3	2	729	45	56	704	44×18	628	38 38	
32	JS1	6	569	45	56	544	43×16	464	40 40	
33	JS3	4	237	45	56	212	44×18	136	38 38	
Sash vertical glazing bar (EUROPEAN OAK K.D. - Square Edge - 2")										
34	JS3	4	957	45	56	932.4	44×18	856.4	38 38	
Bottom rail (EUROPEAN OAK K.D. - Square Edge - 2")										
35	JS4	2	791	195	44	766	31×15	556	105 105	
36	JS5	2	567	195	44	542		332	105 105	
Lock/Mid rail (EUROPEAN OAK K.D. - Square Edge - 2")										
37	JS4	2	791	195	44	766	31×15	556	105 105	
38	JS5	2	567	195	44	542		332	105 105	
Left door meeting stile (EUROPEAN OAK K.D. - Square Edge - 2")										
39	JS4	1	2011	115	44	1986.6	31×15			
40	JS5	1	1946	115	44	1921.6				


Example of Mid Size Diagrams with Setting Out

Your Company Name.....


Mid size Diagrams with setting out

Client **Mr Alan Turner**
Job **Barn Cottage**
Ref **21234**


1 X Window - W1 (Kitchen)




W1
Top vent left sash



W1
Fixed sash



W1
Side vent right sash



Example of Glass Summary Printed from JMS

Your Company Name.....

Mr Biggs - GS

Client Calcot Construction - Mr Alex Weatherhead
Job Number 998765

Pilkington 'K' glass 4/12/4mm unit

Width	Height	Usage	Drawing	Totals Quantity	Totals Area M²
458	**1011.5**	4×JS2	3	4	1.853
622	**705.4**	2×JS3		2	0.878
130	**705.4**	4×JS3		4	0.367
462	**607.3**	4×JS2	2	4	1.122
458	**496.3**	12×JS1		12	2.727
458	**303.7**	4×JS2	1	4	0.556
622	**130**	2×JS3		2	0.162
130	**130**	4×JS3		4	0.068
		Totals		**36**	**7.733**

Pilkington K glass Toughened, Argon filled 4/12/4 units

Width	Height	Usage	Drawing	Totals Quantity	Totals Area M²
272	**627.6**	2×JS4		2	0.341
124	**627.6**	4×JS4		4	0.311
272	**124**	4×JS4		4	0.135
124	**124**	8×JS4		8	0.123
		Totals		**18**	**0.911**

Single glass Toughened 4mm

Width	Height	Usage	Drawing	Totals Quantity	Totals Area M²
334	**1543.5**	2×JS5		2	1.031
356	**890.6**	2×JS5		2	0.634
		Totals		**4**	**1.665**

Example of Glass Summary Printed from JMS


Your Company Name.....

Mr Biggs


Client Calcot Construction - Mr Alex Weatherhead
Job Number 998765

These Glazing Diagrams are Referenced from Glass Summary (Dimensions are in mm)


Drawing 1 **Qty: 4**



Drawing 2 **Qty: 4**



Drawing 3 **Qty: 4**



JMS 2, 1, 3, 6 (4707)

Example of Sliding Sash Detail Page Printed from JMS

Your Company Name.....


Mr Biggs - JS3

Client Calcot Construction - Mr Alex Weatherhead
Job Number 998765

Description Lounge

Box frame 166 x100 - Head trench 20mm x 8mm (for Jamb/Pulley stile) - Cill trench 20mm x 22mm (for Jamb/Pulley stile)
Sash mortice in rebates - decorative horns - D/G 24mm - Plastic parting with fins
European Oak K.D. - Square Edge
See glass schedule for glass type for this joinery item

Type S1D
Width 1200
Height 2000
Qty. 1
Hours 34 : 18
Georgian style 6
Mortices in rebates



HORIZONTAL SETTING OUT		VERTICAL SETTING OUT	
80		80	
100	Jamb/Pulley stile	100	Head
1100		1930	
1120	Jamb/Pulley stile	2000	Cill
1200			

SLIDING SASH COMPONENT LIST

Component (Rebates 0 × 0)	Qty.	Rough cut	length	Width	Thickness	S/L	T/L
Cill	1	1213	1188	166	70	9 degrees	
Jamb/Pulley stile	2	1885	1860	146	20		
Jamb/Pulley stile outer lining	2	2025	2000	116	20		
Jamb/Pulley stile inner lining	2	1955	1930	100	20		
Jamb Pulley Stile case backing cover	2	2019	1994	146	6		
Jamb/Pulley stile case weight separator (wagtail)	2	1855	1830	74	6		
Head	1	1213	1188	146	20		
Head outer lining	1	999	974.3	116	20		
Head inner lining	1	1025	1000	100	20		
Head case backing cover	1	1225	1200	146	6		
Parting Bead with Flipper Seals (Plastic)	2	1847	1847				
Parting Bead with Flipper Seals (Plastic)	1	1020	1020				
Inner staff bead	2	1853	1828	20	16		
Inner staff bead	2	1025	1000	20	16		

Total meterage	Rough cut	length	Width	Thickness
Glazing bead (standard)	18.6	17.4	18	18

JMS 2, 1, 3, 6 (4707)

Example of Sliding Sash Detail Page Printed from JMS

Your Company Name.....


Mr Biggs - JS3


Client Calcot Construction - Mr Alex Weatherhead
Job Number 998765

Description Lounge

Box frame 166 x100 - Head trench 20mm x 8mm (for Jamb/Pulley stile) - Cill trench 20mm x 22mm (for Jamb/Pulley stile)
Sash mortice in rebates - decorative horns - D/G 24mm - Plastic parting with fins
European Oak K.D. - Square Edge
See glass schedule for glass type for this joinery item

Type S1D
Width 994
Height 1836.9
Qty. 1





HORIZONTAL SETTING OUT		VERTICAL SETTING OUT	
38	Bottom sliding sash stile	70	
174		97	Meeting rail (bottom sash)
183	Sash vertical glazing bar	808.4	
811		817.4	Sash horizontal glazing bar
820	Sash vertical glazing bar	953.4	
956		1030.4	Sash bottom rail
994	Bottom sliding sash stile		
38	Top sliding sash stile	38	Sash top rail
174		174	
183	Sash vertical glazing bar	183	Sash horizontal glazing bar
811		894.4	
820	Sash vertical glazing bar	921.4	Meeting rail (top sash)
956		991.4	
994	Top sliding sash stile		

1x SLIDING SASH BOTH SLIDING COMPONENT LIST

994W × 1836.9H (Rebates: o/s 0 × 0 i/s 18 × 44)

	Qty.	Rough cut	length	Width	Thickness	S/L	T/L	
Top sliding sash stile	2	1016	991.4	56	56			
Sash top rail	1	1019	994	56	56	918	38	38
Meeting rail (top sash)	1	1019	994	45	56	918	38	38
Meeting rail plant on stop (top sash)	1	1019	994	22	9			
Weatherstrip Aquamac 21	1	994	994					
Brush Seal with Plastic Carrier	1	994	994					
Sash vertical glazing bar	2	957	932.4	45	56	856.4	38	38

JMS 2, 1, 3, 6 (4707)

Example of Sliding Sash Detail Page Printed from JMS

Your Company Name.....

Mr Biggs - JS3

Client Calcot Construction - Mr Alex Weatherhead
Job Number 998765

Description Lounge

Box frame 166 x100 - Head trench 20mm x 8mm (for Jamb/Pulley stile) - Cill trench 20mm x 22mm (for Jamb/Pulley stile)
Sash mortice in rebates - decorative horns - D/G 24mm - Plastic parting with fins
European Oak K.D. - Square Edge
See glass schedule for glass type for this joinery item

1X SLIDING SASH BOTH SLIDING COMPONENT LIST (continued)

994W × 1836.9H (Rebates: o/s 0 × 0 i/s 18 × 44)

	Qty.	Rough cut	length	Width	Thickness	S/L	T/L	
Sash horizontal glazing bar	2	237	212	45	56	136	38	38
Sash horizontal glazing bar	1	729	704	45	56	628	38	38
Security Glazing tape	2	544	544					
Security Glazing tape	1	1528	1528					
Security Glazing tape	2	1695	1695					
Security Glazing tape	1	2679	2679					
Bottom sliding sash stile	2	1055	1030.4	56	56			
Meeting rail (bottom sash)	1	1019	994	45	56	918	38	38
Meeting rail plant on stop (bottom sash)	1	1019	994	22	9			
Sash bottom rail	1	1019	994	95	56	918	38	38
Weatherstrip Aquamac 21	1	994	994					
Brush Seal with Plastic Carrier	1	994	994					
Sash vertical glazing bar	2	957	932.4	45	56	856.4	38	38
Sash horizontal glazing bar	2	237	212	45	56	136	38	38
Sash horizontal glazing bar	1	729	704	45	56	628	38	38
Security Glazing tape	2	1695	1695					
Security Glazing tape	1	2679	2679					
Security Glazing tape	2	544	544					
Security Glazing tape	1	1528	1528					

SASH WEIGHTS

Top sash	2 No. 12.963 kg (2 No. 28 lb 9 oz)	including glass
Bottom sash	2 No. 13.810 kg (2 No. 30 lb 7 oz)	including glass

Example of Sliding Sash Detail Page Printed from JMS

Your Company Name.....

Mr Biggs - JS3

Client Calcot Construction - Mr Alex Weatherhead
Job Number 998765

Description Lounge

Box frame 166 x100 - Head trench 20mm x 8mm (for Jamb/Pulley stile) - Cill trench 20mm x 22mm (for Jamb/Pulley stile)
Sash mortice in rebates - decorative horns - D/G 24mm - Plastic parting with fins
European Oak K.D. - Square Edge
See glass schedule for glass type for this joinery item

FITTINGS LIST

Frame (Size 1200W × 2000H)
Fittings as below for frame

	Qty.	Length mm
5 x 100 screws	8	

Sliding sash top sliding (Size 994W × 1836.9H)
Fittings as below for top sliding sash

	Qty.	Length mm
PULLEYS	2	
Sash Cord 8mm	2	3840
Lead Weight 50mm @ 25.66kg per/m	2	505
Fitch fastener	2	

Sliding sash bottom sliding (Size 994W × 1836.9H)
Fittings as below for bottom sliding sash

	Qty.	Length mm
PULLEYS	2	
Sash Cord 8mm	2	3840
Lead Weight 50mm @ 25.66kg per/m	2	538
Sash Lifts	2	

Example of Door/Door Frame Detail Page Printed from JMS

Your Company Name.....


Mr Biggs - JS4

Client Calcot Construction - Mr Alex Weatherhead
Job Number 998765

Description Lounge Doors
Standard door 44mm thick

European Oak K.D. - Square Edge
See glass schedule for glass type for this joinery item

Type D
Width 1600
Height 1981
Qty. 1
Doors opening out.
Viewed from outside.
Hours 29 : 29



DOORFRAME COMPONENT LIST

Component (Rebates 15 × 48)	Qty.	Rough cut	length	Width	Thickness	S/L	T/L
Head	1	1725	1700	96	56		
Cill	1	1725	1700	145	70	9 degrees	
Jamb	2	2006	1981	96	56	1892.6 41	55

VERTICAL SETTING OUT

56	Head
1911	
1981	Cill

HORIZONTAL SETTING OUT

50	
106	Jamb
1594	
1650	Jamb
1700	

JMS 2, 1, 3, 6 (4707)

Example of Door/Door Frame Detail Page Printed from JMS

Your Company Name.....

Mr Biggs - JS4


Client Calcot Construction - Mr Alex Weatherhead
Job Number 998765

Description Lounge Doors
Standard door 44mm thick

European Oak K.D. - Square Edge
See glass schedule for glass type for this joinery item


This item is
Frame and Double Doors

Doors opening out.
Viewed from outside.



Qty. 1

LEFT HAND DOOR



LEFT HAND DOOR COMPONENT LIST

Component (Rebates 15 × 31)	Qty.	Rough cut length		Width	Thickness	S/L	T/L	
Stile	1	2011	1986.6	115	44			
Left door meeting stile	1	2011	1986.6	115	44			
Top rail	1	791	766	115	44	556	105	105
Bottom rail	1	791	766	195	44	556	105	105
Lock/Mid rail	1	791	766	195	44	556	105	105
Above lock/mid rail horizontal bar	2	671	646	39	44	556	45	45
Above lock/mid rail vertical bar	4	245	220	39	44	130	45	45
Above lock/mid rail vertical bar	2	748	723.6	39	44	633.6	45	45
Below lock/mid rail panel left or top outer board	1	551	526	78.9	20	Panel Width 552		
Left/top & Right/bottom Tongues, Cover Width, Board Gap		0	0	78.9	0			
Below lock/mid rail panel inner board	5	551	526	86.9	20			
Left/top & Right/bottom Tongues, Cover Width, Board Gap		8	0	78.9	0			
Below lock/mid rail panel right or bottom outer board	1	551	526	86.9	20	Panel Width 552		
Left/top & Right/bottom Tongues, Cover Width, Board Gap		8	0	78.9	0			

Total meterage	Rough cut length		Width	Thickness
Above lock/mid rail glazing bead (standard)	9.5	8.6	15	15
Below lock/mid rail glazing bead (standard)	2.3	2.2	15	15

Example of Door/Door Frame Detail Page Printed from JMS

Your Company Name.....

Mr Biggs - JS4

Client Calcot Construction - Mr Alex Weatherhead
Job Number 998765

Description Lounge Doors
Standard door 44mm thick

European Oak K.D. - Square Edge
See glass schedule for glass type for this joinery item

LEFT HAND DOOR VERTICAL SETTING OUT	
50	
165	Top rail
265	
304	Above lock/mid rail horizontal bar
907.6	
946.6	Above lock/mid rail horizontal bar
1046.6	
1241.6	Lock/Mid rail
1741.6	
1936.6	Bottom rail
1986.6	

LEFT HAND DOOR ABOVE LOCK RAIL HORIZONTAL SETTING OUT	
115	Stile
215	
254	Above lock/mid rail vertical bar
502	
541	Above lock/mid rail vertical bar
641	
756	Left door meeting stile

LEFT HAND DOOR BELOW LOCK RAIL HORIZONTAL SETTING OUT	
115	Stile
641	
756	Left door meeting stile

Example of Fittings Summary Printed From JMS Grouped by Description

Your Company Name.....

Fittings Grouped by Description

Client **Calcot Construction**

Job **The Beach Front**

Fittings grouped by description

Description	Total Quantity
1 pair 63 mm butt hinges	10
10 " basta locking stay brass	14
25 x 3.5 screws	292
40 X 3.5 screws	48
5 X 100 SCREWS	76
5 x 100 screws	16
63 mm butts	4
Basta locking fastener brass	10
Box Frame Bottom Sliding Sash Weights	1
Box Frame Top Sliding Sash Weights	1
Brush Seal with Plastic Carrier (Total 1988mm)	2
Door Frame Screws	7
Door Hinges Brass	2
Double Sided Glazing Tape (Total 26404mm)	12
EPDM Tape with Lip (Total 57446mm)	26
FIXED SASH ONLY	6
FRAME SCREWS	2
Fitch fastener	2
Lead Weight 50mm @ 25.66kg per/m (Total 2086mm)	4
PULLEYS	4
Parting Bead with Flipper Seals (Plastic) (Total 4714mm)	3
Polished Brass Hinge 100 x 75 single (not pair)	4
SIDE OPENING SASH R/H.brass.FLUSH	7
SIDE OPENING SASH R/H.brass.FLUSH.	3
Sash Cord 8mm (Total 15344mm)	4
Sash Lifts	2
Sash false glazing duplex spacer (hor) (Total 5512mm)	12
Sash false glazing duplex spacer (vert) (Total 7684mm)	12
Screen Frame Screws	1
Security Glazing tape (Total 74816mm)	38
TOP OPENING SASH L/H brass.FLUSH.	4
Weatherstrip Aquamac 21 (Total 52492mm)	20

Other Printouts Available

- Order Confirmation
- Many different styles of cutting lists to suit your business
- Delivery Notes
- Invoices